

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information
 Service

1981-2010 Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days

National Climatic Data Center
 Federal Building
 151 Patton Avenue
 Asheville, North Carolina 28801
 www.ncdc.noaa.gov

Station: BRIDGEPORT SIKORSKY MEMORIAL AIRPORT, CT US

GHCND:USW00094702
 Elev: 7 ft. Lat: 41.158° N Lon: 73.129° W

December							January							February						
DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP
1	47	33	40	25	0	35.0% a	1	38	24	31	34	0	37.3% a	1	38	24	31	35	0	33.0% a
2	47	33	40	25	0	35.0% a	2	38	24	31	34	0	37.2% a	2	38	24	31	34	0	33.1% a
3	47	33	40	25	0	35.1% a	3	38	24	31	34	0	37.2% a	3	38	24	31	34	0	33.1% a
4	46	32	39	26	0	35.1% a	4	38	24	31	34	0	37.1% a	4	38	24	31	34	0	33.1% a
5	46	32	39	26	0	35.2% a	5	38	23	30	35	0	37.0% a	5	38	24	31	34	0	33.1% a
6	46	32	39	26	0	35.3% a	6	37	23	30	35	0	36.9% a	6	38	24	31	34	0	33.1% a
7	45	31	38	27	0	35.4% a	7	37	23	30	35	0	36.7% a	7	38	24	31	34	0	33.1% a
8	45	31	38	27	0	35.5% a	8	37	23	30	35	0	36.6% a	8	38	24	31	34	0	33.2% a
9	44	31	38	28	0	35.6% a	9	37	23	30	35	0	36.5% a	9	39	24	32	34	0	33.3% a
10	44	30	37	28	0	35.7% a	10	37	23	30	35	0	36.3% a	10	39	25	32	33	0	33.4% a
11	44	30	37	28	0	35.8% a	11	37	23	30	35	0	36.2% a	11	39	25	32	33	0	33.6% a
12	43	30	36	29	0	35.9% a	12	37	23	30	35	0	36.0% a	12	39	25	32	33	0	33.7% a
13	43	29	36	29	0	36.0% a	13	37	23	30	35	0	35.8% a	13	39	25	32	33	0	33.9% a
14	43	29	36	29	0	36.2% a	14	37	23	30	35	0	35.7% a	14	39	25	32	33	0	34.1% a
15	42	29	35	30	0	36.2% a	15	37	23	30	35	0	35.5% a	15	40	25	32	33	0	34.3% a
16	42	28	35	30	0	36.3% a	16	37	23	30	35	0	35.3% a	16	40	25	33	32	0	34.5% a
17	42	28	35	30	0	36.4% a	17	37	23	30	35	0	35.1% a	17	40	26	33	32	0	34.7% a
18	41	28	35	31	0	36.5% a	18	37	23	30	35	0	34.9% a	18	40	26	33	32	0	34.8% a
19	41	27	34	31	0	36.6% a	19	37	23	30	35	0	34.7% a	19	40	26	33	32	0	35.0% a
20	41	27	34	31	0	36.6% a	20	37	23	30	35	0	34.5% a	20	41	26	33	32	0	35.2% a
21	41	27	34	31	0	36.7% a	21	37	23	30	35	0	34.2% a	21	41	26	34	32	0	35.4% a
22	40	26	33	32	0	36.8% a	22	37	23	30	35	0	34.0% a	22	41	26	34	31	0	35.5% a
23	40	26	33	32	0	36.9% a	23	37	23	30	35	0	33.9% a	23	41	26	34	31	0	35.7% a
24	40	26	33	32	0	36.9% a	24	37	23	30	35	0	33.7% a	24	42	27	34	31	0	35.8% a
25	40	26	33	33	0	37.0% a	25	37	23	30	35	0	33.5% a	25	42	27	34	31	0	35.9% a
26	39	25	32	33	0	37.0% a	26	37	23	30	35	0	33.4% a	26	42	27	35	31	0	36.0% a
27	39	25	32	33	0	37.1% a	27	37	23	30	35	0	33.3% a	27	42	27	35	30	0	36.0% a
28	39	25	32	33	0	37.1% a	28	37	23	30	35	0	33.2% a	28	43	27	35	30	0	36.0% a
29	39	25	32	33	0	37.2% a	29	37	23	30	35	0	33.1% a							
30	38	24	31	34	0	37.3% a	30	37	23	30	35	0	33.1% a							
31	38	24	31	34	0	37.3% a	31	37	23	30	35	0	33.1% a							
MNTH:	42.3	28.4	35.4	919	0	3.33 b	MNTH:	37.1	23.0	30.1	1083	0	3.10 b	MNTH:	39.7	25.2	32.4	911	0	2.79 b
							Winter	39.7	25.5	32.6	2914	0	9.22 b							
							Annual	60.3	44.7	52.5	5392	825	42.74 b							

a: Probability of precipitation >= 0.01 inches for 29-day windows centered on each day of the year.
 b: Long-term averages of seasonal or annual precipitation totals in Inches.

-4444: year-round risk of frost-freeze
 -6666: parameter undefined; insufficient occurrences to compute value
 -7777: a non-zero value that would round to zero
 blank: missing or insufficient data

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information
 Service

1981-2010 Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days

National Climatic Data Center
 Federal Building
 151 Patton Avenue
 Asheville, North Carolina 28801
 www.ncdc.noaa.gov

Station: BRIDGEPORT SIKORSKY MEMORIAL AIRPORT, CT US

GHCND:USW00094702
 Elev: 7 ft. Lat: 41.158° N Lon: 73.129° W

March							April							May						
DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP
1	43	28	35	30	0	36.1% a	1	53	36	44	21	-7777	36.8% a	1	63	46	54	11	-7777	37.1% a
2	43	28	35	30	0	36.2% a	2	53	37	45	20	-7777	36.8% a	2	63	46	55	10	-7777	37.2% a
3	43	28	36	29	0	36.2% a	3	53	37	45	20	-7777	36.8% a	3	64	47	55	10	-7777	37.2% a
4	44	28	36	29	0	36.3% a	4	54	37	45	20	-7777	36.8% a	4	64	47	55	10	-7777	37.3% a
5	44	28	36	29	0	36.4% a	5	54	38	46	19	-7777	36.8% a	5	64	47	56	10	-7777	37.4% a
6	44	29	36	29	0	36.5% a	6	54	38	46	19	-7777	36.8% a	6	65	47	56	9	-7777	37.4% a
7	44	29	37	28	0	36.6% a	7	55	38	47	19	-7777	36.8% a	7	65	48	56	9	-7777	37.5% a
8	45	29	37	28	0	36.6% a	8	55	39	47	18	-7777	36.9% a	8	65	48	57	9	-7777	37.6% a
9	45	29	37	28	0	36.6% a	9	55	39	47	18	-7777	36.9% a	9	65	48	57	8	-7777	37.6% a
10	45	30	37	28	0	36.6% a	10	56	39	48	18	-7777	37.0% a	10	66	49	57	8	-7777	37.7% a
11	46	30	38	27	0	36.5% a	11	56	40	48	17	-7777	37.0% a	11	66	49	58	8	-7777	37.7% a
12	46	30	38	27	0	36.5% a	12	57	40	48	17	-7777	37.0% a	12	66	49	58	8	-7777	37.8% a
13	46	30	38	27	0	36.5% a	13	57	40	49	16	-7777	37.0% a	13	67	50	58	7	-7777	37.8% a
14	46	31	39	26	0	36.4% a	14	57	41	49	16	-7777	37.0% a	14	67	50	58	7	-7777	37.9% a
15	47	31	39	26	0	36.4% a	15	58	41	49	16	-7777	37.0% a	15	67	50	59	7	1	38.1% a
16	47	31	39	26	0	36.4% a	16	58	41	50	15	-7777	37.0% a	16	68	51	59	6	1	38.2% a
17	47	32	39	26	0	36.4% a	17	58	42	50	15	-7777	36.9% a	17	68	51	59	6	1	38.4% a
18	48	32	40	25	0	36.4% a	18	59	42	50	15	-7777	36.8% a	18	68	51	60	6	1	38.5% a
19	48	32	40	25	0	36.4% a	19	59	42	51	14	-7777	36.8% a	19	69	52	60	6	1	38.5% a
20	48	32	40	25	0	36.4% a	20	59	43	51	14	-7777	36.8% a	20	69	52	60	5	1	38.6% a
21	49	33	41	24	0	36.4% a	21	60	43	51	14	-7777	36.9% a	21	69	52	61	5	1	38.6% a
22	49	33	41	24	0	36.4% a	22	60	43	52	14	-7777	36.9% a	22	69	53	61	5	1	38.6% a
23	49	33	41	24	0	36.4% a	23	60	43	52	13	-7777	36.9% a	23	70	53	61	5	1	38.6% a
24	50	34	42	23	0	36.4% a	24	61	44	52	13	-7777	36.9% a	24	70	53	62	5	1	38.6% a
25	50	34	42	23	0	36.4% a	25	61	44	53	13	-7777	36.9% a	25	70	54	62	4	1	38.7% a
26	50	34	42	23	0	36.5% a	26	61	44	53	12	-7777	36.9% a	26	71	54	62	4	1	38.7% a
27	51	35	43	22	0	36.6% a	27	62	45	53	12	-7777	36.9% a	27	71	54	63	4	1	38.7% a
28	51	35	43	22	0	36.7% a	28	62	45	54	12	-7777	37.0% a	28	71	55	63	4	2	38.6% a
29	52	35	43	22	0	36.7% a	29	62	45	54	11	-7777	37.0% a	29	72	55	63	3	2	38.6% a
30	52	36	44	21	-7777	36.8% a	30	63	46	54	11	-7777	37.0% a	30	72	55	64	3	2	38.5% a
31	52	36	44	21	-7777	36.8% a								31	72	56	64	3	2	38.5% a
MNTH:	47.2	31.4	39.3	797	-7777	4.05 b	MNTH:	57.7	41.0	49.3	471	2	4.13 b	MNTH:	67.6	50.6	59.1	205	22	3.80 b
Spring							Spring	57.5	41.0	49.2	1473	24	11.98 b							
Annual							Annual	60.3	44.7	52.5	5392	825	42.74 b							

a: Probability of precipitation >= 0.01 inches for 29-day windows centered on each day of the year.
 b: Long-term averages of seasonal or annual precipitation totals in Inches.

-4444: year-round risk of frost-freeze
 -6666: parameter undefined; insufficient occurrences to compute value
 -7777: a non-zero value that would round to zero
 blank: missing or insufficient data

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information
 Service

1981-2010 Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days

National Climatic Data Center
 Federal Building
 151 Patton Avenue
 Asheville, North Carolina 28801
 www.ncdc.noaa.gov

Station: BRIDGEPORT SIKORSKY MEMORIAL AIRPORT, CT US

GHCND:USW00094702
 Elev: 7 ft. Lat: 41.158° N Lon: 73.129° W

June							July							August						
DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP
1	73	56	64	3	2	38.5% a	1	81	65	73	-7777	8	31.5% a	1	82	67	75	-7777	10	28.9% a
2	73	56	65	3	2	38.4% a	2	81	65	73	-7777	8	31.2% a	2	82	67	75	-7777	10	28.9% a
3	73	57	65	2	2	38.3% a	3	81	65	73	-7777	8	31.0% a	3	82	67	75	-7777	10	29.0% a
4	74	57	65	2	3	38.2% a	4	81	65	73	-7777	8	30.8% a	4	82	67	75	-7777	10	29.0% a
5	74	57	66	2	3	38.0% a	5	82	65	73	-7777	9	30.6% a	5	82	67	75	-7777	10	29.1% a
6	74	58	66	2	3	37.9% a	6	82	66	74	-7777	9	30.3% a	6	82	67	75	-7777	9	29.2% a
7	75	58	66	2	3	37.7% a	7	82	66	74	-7777	9	30.1% a	7	82	67	74	-7777	9	29.2% a
8	75	58	67	2	3	37.5% a	8	82	66	74	-7777	9	29.9% a	8	82	67	74	-7777	9	29.3% a
9	75	59	67	2	3	37.4% a	9	82	66	74	-7777	9	29.7% a	9	82	67	74	-7777	9	29.3% a
10	76	59	67	1	4	37.2% a	10	82	66	74	-7777	9	29.5% a	10	82	67	74	-7777	9	29.3% a
11	76	59	68	1	4	37.0% a	11	82	66	74	-7777	9	29.3% a	11	82	67	74	-7777	9	29.3% a
12	76	60	68	1	4	36.8% a	12	82	66	74	-7777	9	29.2% a	12	82	67	74	-7777	9	29.2% a
13	76	60	68	1	4	36.6% a	13	82	66	74	-7777	9	29.0% a	13	82	66	74	-7777	9	29.1% a
14	77	60	68	1	4	36.3% a	14	82	67	75	-7777	9	28.9% a	14	81	66	74	-7777	9	29.0% a
15	77	60	69	1	5	36.0% a	15	83	67	75	-7777	10	28.9% a	15	81	66	74	-7777	9	28.8% a
16	77	61	69	1	5	35.7% a	16	83	67	75	-7777	10	28.8% a	16	81	66	74	-7777	9	28.6% a
17	78	61	69	1	5	35.4% a	17	83	67	75	-7777	10	28.8% a	17	81	66	74	-7777	9	28.5% a
18	78	61	70	1	5	35.1% a	18	83	67	75	-7777	10	28.9% a	18	81	66	73	-7777	8	28.3% a
19	78	62	70	1	5	34.8% a	19	83	67	75	-7777	10	28.8% a	19	81	66	73	-7777	8	28.2% a
20	78	62	70	-7777	6	34.5% a	20	83	67	75	-7777	10	28.8% a	20	81	66	73	-7777	8	28.0% a
21	79	62	70	-7777	6	34.2% a	21	83	67	75	-7777	10	28.9% a	21	81	65	73	-7777	8	27.9% a
22	79	63	71	-7777	6	33.9% a	22	83	67	75	-7777	10	28.9% a	22	80	65	73	-7777	8	27.8% a
23	79	63	71	-7777	6	33.6% a	23	83	67	75	-7777	10	28.9% a	23	80	65	73	-7777	8	27.6% a
24	80	63	71	-7777	6	33.3% a	24	83	67	75	-7777	10	28.9% a	24	80	65	73	-7777	8	27.5% a
25	80	63	72	-7777	7	33.0% a	25	83	67	75	-7777	10	28.9% a	25	80	65	72	-7777	7	27.3% a
26	80	64	72	-7777	7	32.8% a	26	83	67	75	-7777	10	28.9% a	26	80	65	72	-7777	7	27.3% a
27	80	64	72	-7777	7	32.5% a	27	83	67	75	-7777	10	29.0% a	27	80	64	72	-7777	7	27.2% a
28	80	64	72	-7777	7	32.2% a	28	83	67	75	-7777	10	29.0% a	28	79	64	72	-7777	7	27.1% a
29	81	64	72	-7777	7	32.0% a	29	83	67	75	-7777	10	28.9% a	29	79	64	72	-7777	7	27.1% a
30	81	64	73	-7777	8	31.7% a	30	82	67	75	-7777	10	28.9% a	30	79	64	71	-7777	7	27.0% a
							31	82	67	75	-7777	10	28.9% a	31	79	64	71	-7777	6	26.9% a
MNTH:	77.0	60.4	68.7	32	143	3.61 b	MNTH:	82.2	66.4	74.3	1	289	3.46 b	MNTH:	80.9	65.8	73.3	3	262	3.96 b
Summer	80.0	64.2	72.1	36	694	11.03 b	Annual	60.3	44.7	52.5	5392	825	42.74 b							

a: Probability of precipitation >= 0.01 inches for 29-day windows centered on each day of the year.
 b: Long-term averages of seasonal or annual precipitation totals in Inches.

-4444: year-round risk of frost-freeze
 -6666: parameter undefined; insufficient occurrences to compute value
 -7777: a non-zero value that would round to zero
 blank: missing or insufficient data

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information
 Service

1981-2010 Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days

National Climatic Data Center
 Federal Building
 151 Patton Avenue
 Asheville, North Carolina 28801
 www.ncdc.noaa.gov

Station: BRIDGEPORT SIKORSKY MEMORIAL AIRPORT, CT US

GHCND:USW00094702
 Elev: 7 ft. Lat: 41.158° N Lon: 73.129° W

September							October							November										
DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP				
1	78	63	71	-7777	6	26.9% a	1	69	52	60	6	1	29.5% a	1	58	42	50	15	-7777	29.7% a				
2	78	63	71	-7777	6	26.8% a	2	68	52	60	6	1	29.5% a	2	58	41	50	15	-7777	29.9% a				
3	78	63	70	-7777	6	26.7% a	3	68	51	60	6	1	29.6% a	3	57	41	49	16	-7777	30.1% a				
4	78	62	70	-7777	6	26.6% a	4	67	51	59	7	1	29.6% a	4	57	41	49	16	-7777	30.3% a				
5	77	62	70	1	5	26.6% a	5	67	50	59	7	1	29.6% a	5	57	41	49	16	-7777	30.5% a				
6	77	62	70	1	5	26.5% a	6	67	50	58	7	1	29.5% a	6	57	41	49	17	-7777	30.7% a				
7	77	62	69	1	5	26.6% a	7	66	50	58	8	1	29.5% a	7	56	40	48	17	-7777	30.9% a				
8	77	61	69	1	5	26.6% a	8	66	49	58	8	1	29.5% a	8	56	40	48	17	-7777	31.1% a				
9	76	61	69	1	4	26.7% a	9	66	49	57	8	-7777	29.5% a	9	56	40	48	17	-7777	31.3% a				
10	76	61	68	1	4	26.7% a	10	65	48	57	9	-7777	29.5% a	10	55	40	47	18	-7777	31.5% a				
11	76	60	68	1	4	26.8% a	11	65	48	57	9	-7777	29.4% a	11	55	39	47	18	-7777	31.7% a				
12	75	60	68	1	4	27.0% a	12	65	48	56	9	-7777	29.4% a	12	54	39	47	18	-7777	31.9% a				
13	75	60	67	1	4	27.2% a	13	64	47	56	10	-7777	29.3% a	13	54	39	47	19	-7777	32.1% a				
14	75	59	67	2	3	27.3% a	14	64	47	55	10	-7777	29.3% a	14	54	39	46	19	-7777	32.3% a				
15	74	59	67	2	3	27.5% a	15	64	47	55	10	-7777	29.3% a	15	53	38	46	19	-7777	32.4% a				
16	74	58	66	2	3	27.7% a	16	63	46	55	10	-7777	29.3% a	16	53	38	46	19	-7777	32.6% a				
17	74	58	66	2	3	27.8% a	17	63	46	54	11	-7777	29.3% a	17	53	38	45	20	-7777	32.8% a				
18	73	58	65	2	3	27.9% a	18	63	46	54	11	-7777	29.3% a	18	52	38	45	20	0	32.9% a				
19	73	57	65	2	2	28.0% a	19	62	45	54	11	-7777	29.3% a	19	52	37	45	20	0	33.1% a				
20	73	57	65	3	2	28.2% a	20	62	45	53	12	-7777	29.3% a	20	52	37	44	21	0	33.3% a				
21	72	56	64	3	2	28.4% a	21	62	45	53	12	-7777	29.2% a	21	51	37	44	21	0	33.5% a				
22	72	56	64	3	2	28.6% a	22	61	44	53	12	-7777	29.2% a	22	51	36	44	21	0	33.7% a				
23	72	56	64	3	2	28.7% a	23	61	44	53	13	-7777	29.2% a	23	50	36	43	22	0	33.9% a				
24	71	55	63	4	2	28.8% a	24	61	44	52	13	-7777	29.2% a	24	50	36	43	22	0	34.1% a				
25	71	55	63	4	2	28.9% a	25	60	44	52	13	-7777	29.2% a	25	50	35	43	22	0	34.3% a				
26	70	54	62	4	1	29.1% a	26	60	43	52	13	-7777	29.2% a	26	49	35	42	23	0	34.5% a				
27	70	54	62	4	1	29.2% a	27	60	43	51	14	-7777	29.2% a	27	49	35	42	23	0	34.7% a				
28	70	53	62	5	1	29.2% a	28	59	43	51	14	-7777	29.2% a	28	49	34	42	24	0	34.8% a				
29	69	53	61	5	1	29.3% a	29	59	42	51	14	-7777	29.3% a	29	48	34	41	24	0	34.9% a				
30	69	53	61	5	1	29.4% a	30	59	42	50	15	-7777	29.3% a	30	48	34	41	24	0	34.9% a				
							31	58	42	50	15	-7777	29.5% a											
MNTH:	74.0	58.3	66.2	64	98	3.48 b	MNTH:	63.3	46.5	54.9	322	9	3.64 b	MNTH:	53.1	38.0	45.5	584	-7777	3.39 b				
							Autumn	63.5	47.6	55.5	970	108	10.51 b											
							Annual	60.3	44.7	52.5	5392	825	42.74 b											

a: Probability of precipitation >= 0.01 inches for 29-day windows centered on each day of the year.
 b: Long-term averages of seasonal or annual precipitation totals in Inches.

-4444: year-round risk of frost-freeze
 -6666: parameter undefined; insufficient occurrences to compute value
 -7777: a non-zero value that would round to zero
 blank: missing or insufficient data